

ALUCOBOND®

naturAL



The advertisement features a large background image of a green leaf with a detailed vein pattern. In the foreground, several vertical panels of ALUCOBOND naturAL are shown, demonstrating the material's texture and how it interacts with light. The panels are arranged in a way that creates a sense of depth and perspective. The overall aesthetic is clean and modern, emphasizing the natural beauty of the material.

ALUCOBOND®

naturAL

ALUCOBOND® of natural beauty

ALUCOBOND® naturAL surfaces amplify the natural beauty and character of aluminium to enhance the design of your architectural project. The finely textured aluminium surface scatters light for a close-up visual effect, while retaining the look and lustre of smooth aluminium from afar. It is the ultimate cladding solution for achieving the sophisticated tone that your architectural vision demands. Now, your entrance, columns, and pylons can make a bold statement - without upsetting your budget!

ALUCOBOND® naturAL offers you the same unequalled material properties for which all ALUCOBOND® products are known: extraordinary flatness and rigidity, excellent formability, low weight and outstanding weather resistance.

ALUCOBOND® naturAL surfaces are easy to clean and care for, unlike other metal sheets (i.e. solid sheets with a brushed surface). Both attractive and ingenious, ALUCOBOND® naturAL is the ideal material for Interior and Exterior Architecture, and just another reason why ALUCOBOND® is "The World's Favourite Aluminium Composite Material".

Selecting ALUCOBOND® Material for projects which require environmental friendly materials is literally a natural choice. ALUCOBOND® is fully recyclable.

Die natürliche Schönheit von ALUCOBOND®

Mit **ALUCOBOND® naturAL** bringen Sie die natürliche Schönheit des Metalls in der Architektur voll zur Geltung und verleihen Ihren Objekten ein edles und lebendiges Aussehen. Ob an Portalen, Pylonen, Fassaden oder im Innenausbau: aus der Nähe betrachtet, fesselt **ALUCOBOND® naturAL** durch seine feinen Oberflächenstrukturen.

Aus der Ferne beeindruckt das Wechselspiel aus metallischem Glanz, Reflexion und Absorption. Die Kombinationen aus unterschiedlichen Oberflächenstrukturen schaffen außergewöhnliche Fassaden, die – je nach Lichteinfall – vielfältige, reizvolle Effekte entstehen lassen.

Surfaces • Oberflächen



naturAL Brushed

400



naturAL Line

401



naturAL Sparkling

403

This texture for interior application only.
Diese Oberfläche nur für Innenanwendungen.



Specification • Spezifikation

Thickness / Dicke	4 mm - (3 mm*)
Standard Width / Standardbreite	1250 mm
Special Width / Sonderbreite	Upon request / Auf Anfrage
Length / Länge	2000 - 6800 mm

* Upon request / Auf Anfrage

Note

ALUCOBOND® naturAL is available as ALUCOBOND® and ALUCOBOND® plus.

Minimum order quantities apply. For more information and available specification please refer to the manufacturer or your nearest ALUCOBOND® representative.

To avoid possible reflection differences, panels must be installed in the same direction as marked on the protective peel-off foil. All aluminium alloys have minute variations that occur during the production process. Additionally, the rolling direction of the **ALUCOBOND® naturAL** surface structure affects how light is reflected. Such effects cause subtle differences in color and sheen and are common for all natural, non-coil coated metal surfaces.

In order to minimize these variations in colour and appearance, all **ALUCOBOND® naturAL** aluminium composite panels for a project respectively an elevation of a project should originate from the same batch (see labels on the pallets). Furthermore, panels should be installed in the same direction as marked on the protective peel-off foil. However, 100% uniformity in colour and brightness of such a natural surface is not feasible.

We will be pleased to advise you on the special characteristics of **ALUCOBOND® naturAL** surfaces.

Hinweis

ALUCOBOND® naturAL Oberflächen sind verfügbar in der Ausführung ALUCOBOND® und ALUCOBOND® plus.

Es gelten Mindestbestellmengen.

Nähere Einzelheiten und verfügbare Spezifikationen erhalten Sie vom Hersteller und Ihrem zuständigen ALUCOBOND® Vertreter.

Um Reflexionsunterschiede zu vermeiden, müssen die Verbundplatten in derselben Richtung montiert werden, wie sie durch Richtungspfeile auf der Schutzfolie angegeben sind. **ALUCOBOND® naturAL** hat herstellungsbedingt eine Varianz in der Legierungszusammensetzung, die Farbton- bzw. Reflexionsschwankungen bedingen können. Zusätzlich beeinflusst die Orientierung der Walzstruktur die wahrgenommene Helligkeit der Oberfläche. Wir empfehlen, projektbezogen **ALUCOBOND® naturAL** Aluminium-Verbundplatten, stets aus einer Produktionscharge einzusetzen bzw. Gebäudeansichten nur mit einer Charge zu bekleiden. Eine 100% Farb- oder Helligkeitsübereinstimmung ist jedoch bei einer natürlich belassenen Oberfläche nie gegeben.

Gerne beraten wir Sie individuell über die besonderen Eigenschaften dieser Oberflächen.



International Contacts

Internationale Kontakte

Europe / Middle East / Africa

ALCAN COMPOSITES

Alcan Singen GmbH
D-78221 Singen / Germany
Phone: +49 77 31 80 23 97
Fax: +49 77 31 80 28 45
composites@alcan.com

North / Central America

Alcan Composites USA Inc.
208 W. 5th Street
P.O. Box 507
Benton, KY 42025-0507 / USA
Phone: +1 800 626 3365
Phone: +1 270 527 3365
Fax: +1 270 527 1552
info.usa@alcan.com

South America

Alcan Composites Brazil S.A.
Av. das Nações Unidas
12551 - 13° floor - 1308
São Paulo - SP / Brazil
CEP 04578000
Phone: +55 11 3043 7611
Fax: +55 11 3043 7649
comercial.composites@alcan.com

ALCAN COMPOSITES – A true „global player“

- Sales offices and production plants in Europe, North and South America and Asia
- Wide range of available panels
- Partnerships with leading distributors
- Professional sales teams

ALCAN COMPOSITES – ein echter „global player“

- Verkaufsbüros und Produktionsstätten in Europa, Nord- und Südamerika und Asien
- Größte Plattenvielfalt
- Partnerschaften mit führenden Distributoren
- Professionelle Verkaufsteams

www.alucobond.com

Asia / Pacific

Alcan Alucobond (Far East) Pte. Ltd.
25 International Business Park
#03-56 German Centre
Singapore 609916
Phone: +65 6562 8686
Fax: +65 6562 8688
aafe@alcan.com

China

Alcan Composites Ltd. Shanghai
298 East Kangqiao Road
Kangqiao Industrial Zone, Pudong Area
201319 Shanghai / CHINA
Phone: +86 21 5813 2792
Fax: +86 21 5813 5333
acprc@alucobond.com.cn

